

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Product name : Mighty Brightline Lava Wax

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

No additional information available

1.4. Supplier's details

Mighty Auto Parts
650 Engineering Drive
Peachtree Corners, GA 30092
USA
T 800-829-3900

1.5. Emergency phone number

Emergency number : 1-800-424-9300 (CHEMTREC)

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 1	H318	Causes serious eye damage.
Skin sensitization, Category 1	H317	May cause an allergic skin reaction.

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage

Precautionary statements (GHS US) :

P261 - Avoid breathing dust, fume, gas, mist, vapours, spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P272 - Contaminated work clothing must not be allowed out of the workplace.
P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.
P302+P352 - If on skin: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Mighty Brightline Lava Wax

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

P310 - Immediately call a poison center or doctor.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P332+P313 - If skin irritation occurs: Get medical advice or attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P363 - Take off immediately all contaminated clothing and wash it before reuse.
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
POLYETHYLENE GLYCOL MONO(TERT-OCTYLPH-ENYL) ETHER	CAS-No.: 9036-19-5	5 – 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
AMINES, C10-16-ALKYLDIMETHYL, N-OXIDES AND/OR LAURYLAMINE OXIDE	CAS-No.: 70592-80-2 / 1643-20-5	1 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318
OXIRANE, 2-METHYL-, POLYMER WITH OXIRANE, MONO[3-[1,3,3,3-TETRAMETHYL-1-[(TRIMETHYLSILYL)OXY]-1-DISILOXANYL]PROPYL] ETHER	CAS-No.: 134180-76-0	1 – 5	Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
ACETIC ACID	CAS-No.: 64-19-7	0.1 – 5	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314
2,2',2'-NITRILOTRIS-ETHANOL	CAS-No.: 102-71-6	0.1 – 5	Acute Tox. 4 (Dermal), H312 Eye Irrit. 2A, H319
TERPENE HYDROCARBONS	CAS-No.: 5989-27-5	< 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

Mighty Brightline Lava Wax

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
------------------	---

For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.

Environmental precautions	: Avoid release to the environment.
---------------------------	-------------------------------------

Mighty Brightline Lava Wax

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

6.2. Methods and materials for containment and cleaning up

For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Keep cool. Protect from sunlight.
Packaging materials	: Store always product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

ACETIC ACID (64-19-7)

Local name	Acetic acid
ACGIH OEL TWA	10 ppm
ACGIH OEL STEL	15 ppm
Remark (ACGIH)	TLV® Basis: URT & eye irr; pulm func
Regulatory reference	ACGIH 2022

Local name	Acetic acid
OSHA PEL TWA	25 mg/m ³ 10 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

2,2',2'-NITRILOTRIS-ETHANOL (102-71-6)

Local name	Triethanolamine
ACGIH OEL TWA	5 mg/m ³

Mighty Brightline Lava Wax

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

2,2',2''-NITRILOTRIS-ETHANOL (102-71-6)

Remark (ACGIH)	TLV® Basis: Eye & skin irr
Regulatory reference	ACGIH 2022

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Color	: Clear Red
Odor	: Fruity
Odor threshold	: No data available
pH	: 3
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 100 °C
Flash point	: > 100 °C
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 1 – 1.1 at 15.6 °C
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available

Mighty Brightline Lava Wax

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Particle characteristics : No data available

COMP - ACETIC ACID

Particle characteristics No data available

COMP - 2,2',2'-NITRILOTRIS-ETHANOL

Particle characteristics No data available

COMP - AMINES, C10-16-ALKYLDIMETHYL, N-OXIDES AND/OR LAURYLAMINE OXIDE

Particle characteristics No data available

COMP - OXIRANE, 2-METHYL-, POLYMER WITH OXIRANE, MONO[3-[1,3,3,3-TETRAMETHYL-1- [(TRIMETHYLSILYL)OXY]-1-DISILOXANYL]PROPYL] ETHER

Particle characteristics No data available

COMP - POLYETHYLENE GLYCOL MONO(TERT-OCTYLPH-ENYL) ETHER

Particle characteristics No data available

COMP - TERPENE HYDROCARBONS

Particle characteristics No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Mighty Brightline Lava Wax

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ACETIC ACID (64-19-7)

LD50 oral	4960 mg/kg body weight Animal: mouse, Remarks on results: other:
LD50 dermal rabbit	1060 mg/kg Source: HSDB, NITE
LC50 Inhalation - Rat [ppm]	16000 ppm Source: ChemIDPlus
ATE US (oral)	3310 mg/kg body weight
ATE US (dermal)	1060 mg/kg body weight
ATE US (gases)	16000 ppmV/4h

2,2',2'-NITRILOTRIS-ETHANOL (102-71-6)

LD50 dermal rabbit	2000 mg/kg
ATE US (dermal)	2000 mg/kg body weight

OXIRANE, 2-METHYL-, POLYMER WITH OXIRANE, MONO[3-[1,3,3,3-TETRAMETHYL-1-[(TRIMETHYLSILYL)OXY]-1-DISILOXANYL]PROPYL] ETHER (134180-76-0)

ATE US (dermal)	1100 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h

POLYETHYLENE GLYCOL MONO(TERT-OCTYLPH-ENYL) ETHER (9036-19-5)

LD50 dermal rabbit	> 3000 mg/kg (Rabbit, Dermal)
ATE US (oral)	500 mg/kg body weight

TERPENE HYDROCARBONS (5989-27-5)

LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal)
--------------------	---

Skin corrosion/irritation : Causes skin irritation.
pH: 3

ACETIC ACID (64-19-7)

pH	2.4 Source: ECHA
----	------------------

2,2',2'-NITRILOTRIS-ETHANOL (102-71-6)

pH	10.5
----	------

POLYETHYLENE GLYCOL MONO(TERT-OCTYLPH-ENYL) ETHER (9036-19-5)

pH	6 – 7.5 (1 %)
----	---------------

TERPENE HYDROCARBONS (5989-27-5)

pH	4 (5 %)
----	---------

Mighty Brightline Lava Wax

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Serious eye damage/irritation : Causes serious eye damage.
pH: 3

ACETIC ACID (64-19-7)	
pH	2.4 Source: ECHA
2,2',2''-NITRILOTRIS-ETHANOL (102-71-6)	
pH	10.5
POLYETHYLENE GLYCOL MONO(TERT-OCTYLPH-ENYL) ETHER (9036-19-5)	
pH	6 – 7.5 (1 %)
TERPENE HYDROCARBONS (5989-27-5)	
pH	4 (5 %)

Respiratory or skin sensitization : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

2,2',2''-NITRILOTRIS-ETHANOL (102-71-6)	
NOAEL (chronic,oral,animal/male,2 years)	63 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity Studies)
IARC group	3 - Not classifiable
TERPENE HYDROCARBONS (5989-27-5)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified

2,2',2''-NITRILOTRIS-ETHANOL (102-71-6)	
NOAEL (animal/male, F0/P)	1000 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
NOAEL (animal/female, F0/P)	300 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
TERPENE HYDROCARBONS (5989-27-5)	
NOAEL (animal/female, F0/P)	600 mg/kg body weight Animal: rat, Animal sex: female, Guideline: other:

STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

ACETIC ACID (64-19-7)	
NOAEL (oral,rat,90 days)	290 mg/kg body weight Animal: rat, Animal sex: male
2,2',2''-NITRILOTRIS-ETHANOL (102-71-6)	
NOAEL (oral,rat,90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Aspiration hazard : Not classified

Mighty Brightline Lava Wax

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Mighty Brightline Lava Wax	
Viscosity, kinematic	No data available
ACETIC ACID (64-19-7)	
Viscosity, kinematic	1.015 mm ² /s
2,2',2'-NITRILOTRIS-ETHANOL (102-71-6)	
Viscosity, kinematic	No data available
AMINES, C10-16-ALKYLDIMETHYL, N-OXIDES AND/OR LAURYLAMINE OXIDE (70592-80-2 / 1643-20-5)	
Viscosity, kinematic	No data available
OXIRANE, 2-METHYL-, POLYMER WITH OXIRANE, MONO[3-[1,3,3,3-TETRAMETHYL-1- [(TRIMETHYLSILYL)OXY]-1-DISILOXANYL]PROPYL] ETHER (134180-76-0)	
Viscosity, kinematic	No data available
POLYETHYLENE GLYCOL MONO(TERT-OCTYLPH-ENYL) ETHER (9036-19-5)	
Viscosity, kinematic	371.429 mm ² /s
TERPENE HYDROCARBONS (5989-27-5)	
Viscosity, kinematic	1 mm ² /s (25 °C)

Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: None under normal conditions.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

ACETIC ACID (64-19-7)	
LC50 - Fish [1]	31.3 – 67.6 mg/l Source: ECHA
EC50 - Crustacea [1]	18.9 mg/l Source: ECHA
LC50 - Fish [2]	> 300.82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [2]	> 300.82 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	4.51 mg/l Source: ECHA
EC50 72h - Algae [2]	> 300.82 mg/l Test organisms (species): Skeletonema costatum
2,2',2'-NITRILOTRIS-ETHANOL (102-71-6)	
LC50 - Fish [1]	11800 mg/l
EC50 - Crustacea [1]	609.98 mg/l

Mighty Brightline Lava Wax

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

2,2',2'-NITRILOTRIS-ETHANOL (102-71-6)	
EC50 72h - Algae [1]	512 mg/l Test organisms (species): <i>Desmodesmus subspicatus</i> (previous name: <i>Scenedesmus subspicatus</i>)
EC50 72h - Algae [2]	216 mg/l Test organisms (species): <i>Desmodesmus subspicatus</i> (previous name: <i>Scenedesmus subspicatus</i>)
ErC50 algae	169 mg/l
NOEC chronic fish	> 1 mg/l Test organisms (species): other:

POLYETHYLENE GLYCOL MONO(TERT-OCTYLPH-ENYL) ETHER (9036-19-5)	
LC50 - Fish [1]	7.2 mg/l
EC50 96h - Algae [1]	0.21 mg/l

TERPENE HYDROCARBONS (5989-27-5)	
LC50 - Fish [1]	720 µg/l (Equivalent or similar to OECD 203, 96 h, <i>Pimephales promelas</i> , Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: <i>Daphnia</i> sp. Acute Immobilisation Test, 48 h, <i>Daphnia magna</i> , Semi-static system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	702 µg/l Test organisms (species): <i>Pimephales promelas</i>
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): <i>Daphnia magna</i>
EC50 72h - Algae [1]	0.32 mg/l Test organisms (species): <i>Raphidocelis subcapitata</i> (previous names: <i>Pseudokirchneriella subcapitata</i> , <i>Selenastrum capricornutum</i>)
EC50 72h - Algae [2]	0.214 mg/l Test organisms (species): <i>Raphidocelis subcapitata</i> (previous names: <i>Pseudokirchneriella subcapitata</i> , <i>Selenastrum capricornutum</i>)
ErC50 algae	0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, <i>Pseudokirchneriella subcapitata</i> , Static system, Fresh water, Experimental value, GLP)

12.2. Persistence and degradability

Mighty Brightline Lava Wax	
Persistence and degradability	Not rapidly degradable

ACETIC ACID (64-19-7)	
Persistence and degradability	Not rapidly degradable

2,2',2'-NITRILOTRIS-ETHANOL (102-71-6)	
Persistence and degradability	Not rapidly degradable

AMINES, C10-16-ALKYLDIMETHYL, N-OXIDES AND/OR LAURYLAMINE OXIDE (70592-80-2 / 1643-20-5)	
Persistence and degradability	Not rapidly degradable

OXIRANE, 2-METHYL-, POLYMER WITH OXIRANE, MONO[3-[1,3,3,3-TETRAMETHYL-1-[(TRIMETHYLSILYL)OXY]-1-DISILOXANYL]PROPYL] ETHER (134180-76-0)	
Persistence and degradability	Not rapidly degradable

POLYETHYLENE GLYCOL MONO(TERT-OCTYLPH-ENYL) ETHER (9036-19-5)	
Persistence and degradability	Biodegradability in water: no data available.

Mighty Brightline Lava Wax

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

TERPENE HYDROCARBONS (5989-27-5)

Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O ₂ /g substance

12.3. Bioaccumulative potential

ACETIC ACID (64-19-7)

Partition coefficient n-octanol/water (Log Pow)	-0.17 Source: ECHA
---	--------------------

2,2',2'-NITRILOTRIS-ETHANOL (102-71-6)

Partition coefficient n-octanol/water (Log Pow)	-1.59
---	-------

POLYETHYLENE GLYCOL MONO(TERT-OCTYLPH-ENYL) ETHER (9036-19-5)

Bioaccumulative potential	No bioaccumulation data available.
---------------------------	------------------------------------

TERPENE HYDROCARBONS (5989-27-5)

BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).

12.4. Mobility in soil

TERPENE HYDROCARBONS (5989-27-5)

Ecology - soil	Low potential for mobility in soil.
----------------	-------------------------------------

12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No

SECTION 13 Disposal considerations

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14 Transport information

In accordance with DOT

14.1. UN number

UN-No.(DOT)	: Not regulated
-------------	-----------------

14.2. UN Proper Shipping Name

Proper Shipping Name (DOT)	: Not regulated
----------------------------	-----------------

Mighty Brightline Lava Wax

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not regulated

14.4. Packing group

Packing group (DOT) : Not regulated

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
ACETIC ACID	64-19-7	Present	Active	
2,2',2'-NITRILOTRIS-ETHANOL	102-71-6	Present	Active	
AMINES, C10-16-ALKYLDIMETHYL, N-OXIDES AND/OR LAURYLAMINE OXIDE	70592-80-2 / 1643-20-5	Not present	-	
OXIRANE, 2-METHYL-, POLYMER WITH OXIRANE, MONO[3-[1,3,3,3-TETRAMETHYL-1-[(TRIMETHYLSILYL)OXY]-1-DISILOXANYL]PROPYL] ETHER	134180-76-0	Present	Active	PMN;XU
POLYETHYLENE GLYCOL MONO(TERT-OCTYLPHENYL) ETHER	9036-19-5	Present	Active	XU
TERPENE HYDROCARBONS	5989-27-5	Present	Active	

ACETIC ACID (64-19-7)

Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ 5000 lb

15.2. International regulations

CANADA

ACETIC ACID (64-19-7)

Listed on the Canadian DSL (Domestic Substances List)

Mighty Brightline Lava Wax

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

2,2',2'-NITRILOTRIS-ETHANOL (102-71-6)

Listed on the Canadian DSL (Domestic Substances List)

OXIRANE, 2-METHYL-, POLYMER WITH OXIRANE, MONO[3-[1,3,3,3-TETRAMETHYL-1-[(TRIMETHYLSILYL)OXY]-1-DISILOXANYL]PROPYL] ETHER (134180-76-0)

Listed on the Canadian NDSL (Non-Domestic Substances List)

POLYETHYLENE GLYCOL MONO(TERT-OCTYLPH-ENYL) ETHER (9036-19-5)

Listed on the Canadian DSL (Domestic Substances List)

TERPENE HYDROCARBONS (5989-27-5)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

ACETIC ACID (64-19-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

2,2',2'-NITRILOTRIS-ETHANOL (102-71-6)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

TERPENE HYDROCARBONS (5989-27-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

No additional information available

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Revision date : 2/4/2025

Issue date : 3/18/2024

Full text of hazard classes and H-statements

H226	Flammable liquid and vapor
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction

Mighty Brightline Lava Wax

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Full text of hazard classes and H-statements	
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

NFPA health hazard


: 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard

: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.